

line 12, please delete "C" and insert therefor --°C--; and

line ¹⁴13, please delete all instances of "C" and insert therefor --°C-- **RECEIVED**

On page 39, lines 15 and 24-26, please delete "C" and insert therefor --°C--.

TECH CENTER 1600/2900

On page 40, line 8, please delete "C" and insert therefor --°C--;

line 14, please delete "37 C" and insert therefor --37° C--; and

line 21, please delete "C" and insert therefor --°C--.

On page 41, lines 3 and 7, please delete all instances of "C" and insert therefor
--°C--; and

lines 13, 16, 21 and 23, please delete "C" and insert therefor --°C--.

On page 42, lines 2, 7, 14 and 22, please delete "C" and insert therefor --°C--.

On page 43, lines 5 and 11, please delete "C" and insert therefor --°C--.

On page 44, line 10, please delete all instances of "C" and insert therefor --°C--;

and

lines 14, 17, 19, 20 and 24, please delete "C" and insert therefor

--°C--.

On page 45, line 1, please delete "C" and insert therefor --°C--; and

line 17, please delete "SDS/.2N" and insert therefor --SDS/0.2 N--.

On page 46, lines 18 and 20, please delete "C" and insert therefor --°C--.

On page 50, line 6, please delete "C" and insert therefor --°C--.

On page 51, line 13, please delete all instances of "C" and insert therefor --°C--.

On page 54, lines 3, 14, 16 and 17, please delete "C" and insert therefor --°C--.

On page 56, line 26, please delete "C" and insert therefor --°C--.

On page 57, lines 14 and 17, please delete "C" and insert therefor --°C--.

On page 58, lines 7, 16 and 22, please delete "C" and insert therefor --°C--; and

line 25, please delete "42 C" and insert therefor --42°C--.

On page 59, line 1, please delete "42 C" and insert therefor --42°C--;

line 3, please delete "65 C" and insert therefor --65°C--;

lines 5 and 8, please delete "C" and insert therefor --°C--;

line 24, please delete all instances of "C" and insert therefor --°C--;

line 25, please delete all instances of "C" and insert therefor --°C--;

and

line 26, please delete "C" and insert therefor --°C--.

On page 60, lines 8, 10 and 14, please delete "C" and insert therefor --°C--;

line 23, please delete "16 C" and insert therefor --16°C--; and

line 26, please delete "94 C" and insert therefor --94°C--.

On page 61, lines 1 and 2, please delete all instances of "C" and insert therefor --°C--.

On page 66, line 21, after "G", please insert --to--.

On page 67, lines 23, please delete "1" and insert therefor --μl--.

On page 72, lines 14 and 31, please delete "proligferating" and insert therefor --proliferating--.

On page 83, line 10, please delete "1 l" and "50 l" and insert respectively therefor --1 μl-- and --50 μl--; and

line 13, please delete "37 C" and insert therefor --37°C--.

On page 84, line 7, please delete "isopropyl- β -D-thiogalactoside" and insert therefor --isopropyl- β -D-thiogalactopyranoside--;

line 20, please delete "4 C" and insert therefor --4°C--;

line 22, please delete "4 C" and insert therefor --4°C--; and

line 23, please delete "C" and insert therefor --°C--.

On page 98, line 26, please delete "C" and insert therefor --°C--.

On page 99, line 1, please delete all instances of "C" and insert therefor --°C--.

REMARKS

Applicants retain the right to reintroduce any subject matter which was canceled without prejudice by the present Supplemental Preliminary Amendment at any time during the prosecution of this Application or any continuation or divisional application thereof in the United States. Applicants submit that no new matter has been introduced by this amendment, which readies this application for allowance.

In the event that there are any questions relating to this Supplemental Preliminary Amendment, or the Application in general, it would be appreciated if the Examiner would